

ANTI VIBRATION MOUNTING PADS



RIBBED MOUNTING PAD

- Alternate High Low Ribbed Construction.
- Easy to Cut Pads can be cut to be slightly larger than the size of the leg or machine, using shears or knife.
- Easy Field Installation
- Multiple layers of Ribbed Mounting Pad can be used to increase deflection.

Size Inches	Rec. Load Kgs	Max. Load Kgs
3/8" x 18" x 18"	410	480
3/8" x 12" x 12"	275	310
3/8" x 8" x 8"	180	205
3/8" x 6" x 6"	135	150
3/8" x 4" x 4"	90	105
3/8" x 3" x 3"	65	75

CONTACT

Head Office:

PO Box 50673

Dubai Investment Park-Phase 2

Dubai, United Arab Emirates

P: + 971 4 884 8414

F: + 971 4 884 8434

Website: www.rhira.com

Manufacturing Plant:

PO Box 9013

Al Ghail Industrial Area,

Ras Al-Khaimah, UAE

P: + 971 7 2589006

F: + 971 7 2589008

enquiry@rhira.com

Website: www.rubtech.ae

CORK SANDWICH PAD

- Cork sandwich Pads are laminated pads having 1/2" thick close grained cork securely bonded between two layers of 1/4" alternate low high ribbed Neoprene rubber pads.
- Offers highest level of sound attenuation and vibration isolation.

Size Inches	Rec. Load Kgs	Max. Load Kgs
7/8" x 18" x 18"	720	900
7/8" x 12" x 12"	480	600
7/8" x 8" x 8"	320	400
7/8" x 6" x 6"	240	300
7/8" x 4" x 4"	160	200
7/8" x 3" x 3"	120	150

- No need for bolting
- Easy Field Installation.



METAL SANDWICH PAD

- Metal Sandwich Pads are constructed of a steel plate bonded between Ribbed Anti Vibration Pads.
- Designed for very high load capacity.

Size Inches	Rec. Load Kgs	Max. Load Kgs
1" x 18" x 18"	2200	3300
1" x 12" x 12"	1800	2700
1" x 8" x 8"	1500	2250
1" x 6" x 6"	1250	1875
1" x 4" x 4"	750	1125
1" x 3" x 3"	600	900



WAFFLE PADS

- Designed with in built suction cups.
- Easy Cut design without tools allows job site flexibility.
- No need for bolting.
- Easy Field Installation.

Size Inches	Rec. Load Kgs	Max. Load Kgs
3/4" x 18" x 18"	410	480
3/4" x 12" x 12"	275	310
3/4" x 8" x 8"	180	205
3/4" x 6" x 6"	135	150
3/4" x 4" x 4"	90	105
3/4" x 3" x 3"	65	75

